

Dati attuali al giorno: 08-01-2026 12:25

Link al prodotto : <https://www.cnc-world.it/primer-per-metalli-dy-per-stampanti-uv-p-800.html>



Primer per metalli DY per stampanti UV

Prezzo lordo	129.00 EUR
Prezzo netto	105.74 EUR
Prezzo precedente	169.00 EUR
disponibilità	Disponibile
Tempo di spedizione	48 ore
Numero dell articolo	011INK
codice del produttore	X1
Produttore	CNCTech

Descrizione del prodotto

Primer DY per metallo per stampanti UV



UV Primer DY Pre-coating liquid for Metal 1000ml

Lot no.: 2508T0441

Compatible printheads:

DX5 | DX7 | TX800 | XP600 | I3200 | I1600 | 4720 | 1390

CAUTIONS:

Warning: For industrial use. Causes skin and eye irritation. May cause an allergic skin reaction.

Personal Protective Equipment (PPE):

• Wear eye protection (safety glasses or a face shield). Direct contact can cause serious and permanent eye damage.

• Wear gloves (chemical-resistant protective gloves (e.g., nitrile). Use only a 10-minute service life.

Skin handling:

• Avoid contact with skin. Avoid contact with eyes.

• Do not touch the face with bare skin in case of contact. Immediately wash skin with soap and water.

• Avoid contact with fire and heat sources.

First aid:

• Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.

• Skin Contact: Remove contaminated clothing and wash skin with soap and water.

• Inhalation: Move to fresh air. Get medical attention.

Storage and Disposal:

• Store in a tightly sealed container in a cool, dark, and dry place, away from sunlight.

• Dispose of the used and empty containers in accordance with local chemical waste regulations.



Il primer per metallo (UV Primer) è un agente chimico specializzato che funge da **ponte adesivo** tra la superficie del materiale e l'inchiostro UV. È un elemento chiave nel processo di stampa UV su supporti difficili.

Garantisce la **massima adesione** dell'inchiostro UV ai metalli lisci e non porosi. Previene sfogliature, abrasioni e scheggiature della stampa.

Data di scadenza: almeno 6 mesi

Testine di stampa compatibili: DX5 | DX7 | DX8 | TX800 | XP600 | I3200 | I1600 | 4720 | 1390